

Inspection Certificate "3.1" EN 10204

Certificate of analysis: CA12276622

Customer Request: email 13-07-2026

Quality order: OK571734

Mode of delivery: road truck

POTASSIUM HYDROXIDE Flakes

min. 90 %

Reference number: P26-008617

Batch number: 141-26/07

Re-Test.....: 15.4.2027

Manufacturing date: 19.7.2026

Test result		Quality	Method
Total content (as KOH)	90,70 %	90,00 - 100,00	titr.
Potassium carbonate (K ₂ CO ₃)	0,28 %	0,00 - 0,65	titr.
Chlorides (Cl)	25 mg/kg	0 - 70	nephelometr.
Sulphate (SO ₄)	< 5 mg/kg	0 - 40	nephelometr.
Sodium (Na)	0,26 %	0,00 - 0,70	AAS
Iron (Fe)	0,27 mg/kg	0,00 - 30,00	photometr.
Nickel (Ni)	2,78 mg/kg	0,00 - 15,00	AAS

Warning

After the Re-test date, the product may no longer retain all the properties specified in this Certificate of Analysis. Spolchemie recommends re-testing the product after this date. Spolchemie may perform such re-testing, but only upon prior consultation and for a price according to Spolchemie's current price list. Re-testing of the product shall never be interpreted as an extension of any warranties that may have been provided by Spolchemie, if not explicitly agreed otherwise.

Department of the quality management

Issued by: Rejholcová Kamila

Date: 23.7.2026

